

Test Environment Toolkit

Release Notes for TETware Release 3.1 TET3-RN-3.1

Released: 13th January 1997

X/Open Company Limited

The information contained within this document is subject to change without notice.

Copyright © 1996 X/Open Company Limited

All rights reserved. No part of this source code or documentation may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as stated in the end-user licence agreement, without the prior permission of the copyright owners. A copy of the end-user licence agreement is contained in the file `Licence` which accompanies this distribution.

X/Open and the 'X' symbol are trademarks of X/Open Company Limited in the UK and other countries.

UNIX[®] is a registered trademark in the U.S. and other countries, licenced exclusively through X/Open Company Ltd.

Windows NT[™] is a registered trademark of Microsoft Corporation.

This document is produced by UniSoft Ltd. at:

150 Minories
LONDON
EC3N 1LS
United Kingdom

Tel: +44 171 264 2120
Email: tet@root.co.uk

BY OPENING THE PACKAGE, YOU ARE CONSENTING TO BE BOUND BY THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL OF THE TERMS OF THIS AGREEMENT, DO NOT INSTALL THE PRODUCT AND RETURN IT TO THE PLACE OF PURCHASE FOR A FULL REFUND.

**TETWARE RELEASE 3.1 END USER LICENCE
REDISTRIBUTION NOT PERMITTED**

This Agreement has two parts, applicable to the distributions as follows:

- A. Free binary evaluation copies – valid for 90 days, full functionality – no warranty.
- B. Free binary restricted versions – no warranty, limited functionality.
- C. Licenced versions – full functionality, warranty fitness as described in documentation, includes source, binary and annual support.

PART I (A & B above) – TERMS APPLICABLE WHEN LICENCE FEES NOT (YET) PAID (LIMITED TO EVALUATION, EDUCATIONAL AND NON-PROFIT USE).

GRANT.

X/Open grants you a non-exclusive licence to use the Software free of charge if

- a. you are a student, faculty member or staff member of an educational institution (K-12, junior college, college or library) or an employee of an organisation which meets X/Open's criteria for a charitable non-profit organisation; or
- b. your use of the Software is for the purpose of evaluating whether to purchase an ongoing licence to the Software.

The evaluation period for use by or on behalf of a commercial entity is limited to 90 days; evaluation use by others is not subject to this 90 day limit. Government agencies (other than public libraries) are not considered educational or charitable non-profit organisations for purposes of this Agreement. If you are using the Software free of charge, you are not entitled to hard-copy documentation, support or telephone assistance. If you fit within the description above, you may use the Software for any purpose and without fee.

DISCLAIMER OF WARRANTY.

Free of charge Software is provided on an "AS IS" basis, without warranty of any kind.

X/OPEN DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL X/OPEN BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

PART II (C above) – TERMS APPLICABLE WHEN LICENCE FEES PAID.

GRANT.

Subject to payment of applicable licence fees, X/Open grants to you a non-exclusive licence to use the Software and accompanying documentation ("Documentation") as described below.

Copyright © 1996 X/Open Company Ltd.

LIMITED WARRANTY.

X/Open warrants that for a period of ninety (90) days from the date of acquisition, the Software, if operated as directed, will substantially achieve the functionality described in the Documentation. X/Open does not warrant, however, that your use of the Software will be uninterrupted or that the operation of the Software will be error-free or secure.

SCOPE OF GRANT.

Permission to use for any purpose is hereby granted. Modification of the source is permitted. Redistribution of the source code is not permitted without express written permission of X/Open. Distribution of sources containing adaptations is expressly prohibited. Modifications sent to the authors are humbly accepted and it is their prerogative to make the modifications official.

Portions of this work contain code and documentation derived from other versions of the Test Environment Toolkit, which contain the following copyright notices:

- Copyright © 1990,1992 Open Software Foundation
- Copyright © 1990,1992 Unix International
- Copyright © 1990,1992 X/Open Company Ltd.
- Copyright © 1991 Hewlett-Packard Co.
- Copyright © 1993 Information-Technology Promotion Agency, Japan
- Copyright © 1993 SunSoft, Inc.
- Copyright © 1993 UNIX System Laboratories, Inc., a subsidiary of Novell, Inc.
- Copyright © 1994,1995 UniSoft Ltd.

The unmodified source code of those works is freely available from <ftp.xopen.org>. The modified code contained in TETware restricts the usage of that code as per this licence.

+++++

1. Introduction

1.1 Preface

These release notes accompany TETware Release 3.1.

TETware includes all of the functionality of the Distributed Test Environment Toolkit Version 2 Release 2.3 (dTET2) and the Extended Test Environment Toolkit Release 1.10.3 (ETET), together with a number of new features.

TETware is implemented on UNIX operating systems and also on the Windows NT operating system.

1.2 Audience

This document is intended to be read by software engineers and/or systems administrators who will install TETware on their computer systems. A knowledge of system administration is assumed when TETware installation and configuration instructions are presented. In addition, a knowledge of network administration is assumed when TETware is to be built to use network transports.

1.3 Conventions used in this document

The following typographic conventions are used throughout this document:

- *Courier font* is used for function and program names, literals and file names. Examples and computer-generated output are also presented in this font.
- The names of variables are presented in *italic font*. You should substitute the variable's value when typing a command that contains a word in this font.
- **Bold font** is used for headings and for emphasis.

1.4 Related documents

Refer to the following documents for additional information about TETware and its predecessors:

- *Test Environment Toolkit: TETware Installation Guide*
There is one version of this document for each operating system family on which TETware is implemented.
- *Test Environment Toolkit: TETware User Guide*
- *Test Environment Toolkit: TETware Programmers Guide*

Source and postscript versions of these documents are included in the distribution.

1.5 Problem reporting

If you have subscribed to TETware support and you encounter problems when building or executing TETware you should take a copy of the error reporting template contained in the file *tet-root/doc/tet3/err.template* in the distribution, fill in the details of the problem, and send it by electronic mail to:

`tet_support@xopen.co.uk`

Alternately you may use a web browser to complete and submit the HTML form included in the file *tet-root/doc/tet3/errtemp.html* in the distribution.

You should include sufficient information in your report to enable someone who is unfamiliar with your system to be of assistance in solving the problem.

Users are reminded that the user-contributed software which is included in the TETware distribution is not covered by TETware support services.

2. New features in this release

TETware contains some features which have not appeared in previous TET implementations. These features are as follows:

- There are two principle versions of TETware. One version is known as Distributed TETware. This version uses a client-server architecture and provides support for processing local, remote and distributed test cases.

The other version is known as TETware-Lite. This version does not use a client-server architecture or require a network transport. It is more simple to set up than is Distributed TETware but does not provide support for the processing of remote or distributed test cases.

- In addition to the UNIX types of operating system supported by previous TET implementations, versions of TETware and TETware-Lite may be built to run on the Windows NT operating system. Some information on this implementation is presented in the appendix entitled "Implementation notes for TETware on Windows NT systems" in the TETware User Guide.
- Thread-safe versions of the C and C++ APIs may be built on UNIX systems. These APIs provide support for either UI threads or POSIX threads (but not both at the same time).
- New API functions have been added for use in distributed test cases.
- New API functions have been added to enable child processes to be created in a way which is portable between UNIX and Windows NT systems.
- The unsupported contributed software provided with previous ETET releases has been included in the TETware distribution.
- On UNIX systems, almost all of the source code is now compiled with the feature test macro `_POSIX_SOURCE` defined. The only code which must be compiled without defining this macro is the network-specific code, the thread-safe API code and a small number of library functions (such as those which deal with `errno` values) where it is desirable to have an unrestricted name space available.
- All of the externally visible symbols in the C API library now start with the prefix `tet_`. Thus the risk of conflict with external symbols in user-supplied test case code is removed.
- The FIFO inter-process communication support that was present in dTET2 is not provided in Distributed TETware. The motivation for providing FIFO support in dTET2 is now fulfilled by TETware-Lite.

3. Status of this release

This release of TETware is a general release for production use.

4. Problems fixed during the beta review period

The following problems reported during the beta review period have been fixed in this release:

- The way in which the @ file name prefix in the scenario language is interpreted has been revised. The current behaviour is described in the chapter entitled ‘‘The scenario file’’ in the TETware Programmers Guide.
- Some enhancements have been made to enable TETware to operate on 64-bit systems.

5. Known problems in this release

There are no known problems in this release.

6. Building and installing TETware

6.1 Building and installation instructions

For instructions on how to build and install TETware, please following the instructions in the version of the TETware Installation Guide which is appropriate for your system.

6.2 Installed platforms

6.2.1 UNIX systems

Both TETware-Lite and Distributed TETware versions have been installed and tested on the following platforms:

- AIX Release 4.1.1
- HP-UX Release 10.01
- Solaris Release 2.5
- Linux version 1.2.13 using gcc version 2.7.2
- UnixWare Release 2.03
- OSF/1 using c89

6.2.2 Windows NT systems

This release of TETware has been installed and tested on Intel PCs running Windows NT release 4.0.

6.3 API status

The Thread-safe APIs have been exercised using POSIX threads and UI threads on Solaris, and using UI threads on UnixWare.

The following behaviour has been observed when using the Thread-safe API on UnixWare:

- i. A call to `tet_printf()` in a non-main thread causes the process to receive a SIGSEGV signal.
- ii. Cleanup of left-over threads sometimes causes a fatal error.

It is believed that this behaviour may be due to a problem with the threads implementation on this platform.

The C++ APIs have been exercised on Linux, UnixWare and Windows NT.

On Windows NT systems the C and C++ APIs must be used with the single-threaded C runtime support library. It is anticipated that threads support on Windows NT systems will be added in a future TETware release.

6.4 Transport-specific status

6.4.1 Socket network interface

Versions of Distributed TETware using the socket network interface have been tested on all the platforms listed previously.

6.4.2 XTI network interface

Versions of Distributed TETware using the XTI network interface have been tested on System V Release 4 using TCP as the underlying transport provider.

There is a known problem with some SVR4 XTI implementations in which the `t_sync()` function does not work correctly. An XTI implementation may hold transport endpoint data either in kernel or in user address space. The `t_sync()` function is included in the XTI specification for the benefit of implementations which do not automatically detect when the transport endpoint data held in user space is lost. Examples of when such loss might occur are when the file descriptor underlying a transport endpoint is duplicated using `fcntl()` or when the process address space is overlaid by one of the `exec()` system calls.

Since the XTI version of TETware may perform both of these operations, it will not function when used with an XTI implementation which does not automatically detect the loss of data held in user address space and in which `t_sync()` does not perform the advertised function. A common symptom of this problem is when one of the servers `tetsyncd` and `tetxresd` fails with a TBADQLEN error associated with a `t_listen()` call soon after being started by `tcc`.

The XTI version of Distributed TETware has not been tested using an OSI connection orientated transport provider.

7. TETware for TET and ETET users

Some hints and tips for users experienced with previous TET implementations are presented in an appendix to the TETware User Guide.